


Safari ODBC Installation (64-Bit Windows)


Click [Run].




Click [Continue].




Click [Continue].




Click [Install].




Click [Yes].




Or Click [Yes].




Please wait...



Click [Finish].



Please wait...



Click [Next].




Name: **<your name>**


Company: **HCCA**

License Key: **SB-43714-1066**

Click [Next].




Click [Next].




Click [Yes].




Click [Next].




Click [Next].




Click [Next].




Click [Next].




Click [Finish].



Press [Enter].




Press [Enter].




Click [Next].



Click [Next].



Click [Next].




Click [Finish].




Configure Connections

Click [Start] > All Programs > Safari BI Plus > Safari InfoTools > ODBC 64 Administrator

Click the [System DSN] tab.




Click [Add].




Scroll down & select
"SAFODBC (English) Driver".

Click [Finish].




Click [OK].



Connection Name: **USAS**
Server Name: **hcca1.hccanet.org**
User Name: **<USAS username>**
Password: **(leave blank)**

Click [Advanced Setup...]



Path Name: **oecn\$:safari usas <district code>**

Click [OK].



Click [OK].

The screenshot shows the 'Safari InfoSERVER Setup' dialog box. It has a title bar with standard window controls. The main area contains several input fields and buttons. The 'Connection Name' field is filled with 'USAS'. The 'Server Name' field contains 'hcca1.hccanet.org'. The 'User Name' field contains '<username>'. There are empty fields for 'Password' and 'Confirm Password'. On the right side, there are three buttons: 'Advanced Setup...', 'Trouble Shooting...', and 'Set Variables...'. At the bottom, there are three buttons: 'OK', 'Cancel', and 'Help'.

The new connection is now visible in the list of System Data Sources.

Click [OK].

The screenshot shows the 'ODBC Data Source Administrator' dialog box. The 'System DSN' tab is selected. The 'System Data Sources:' section contains a table with two columns: 'Name' and 'Driver'. The table has one entry: 'USAS' in the 'Name' column and 'SAFODBC (English) Driver 32' in the 'Driver' column. The 'USAS' entry is highlighted with a red box. To the right of the table are three buttons: 'Add...', 'Remove', and 'Configure...'. At the bottom, there are four buttons: 'OK', 'Cancel', 'Apply', and 'Help'. A text box at the bottom of the dialog provides information about ODBC System data sources.

Name	Driver
USAS	SAFODBC (English) Driver 32