


Safari ODBC Connection Setup


Type `odbc` in the search box, then click “ODBC Data Sources (32-bit)”.




(Remove the unneeded default User connection if it exists)

Click the “Safari Connection” to select it.

Click [Remove].



Click [Yes].




Click the “System DSN” tab.


(Remove the unneeded default System connection if it exists)

Click the “Safari Connection” to select it.


Click [Remove].




Click [Yes].



Ensure the System DSN tab is selected, then Click [Add].




Click "SAFODBC (English) Driver 32."



Click [Finish].

Click [OK].



Connection Name: **USAS, USPS, or EIS**

Server Name: **hcca1.hccanet.org**

User Name: PowerTerm username

Leave Password fields blank.

Click [Advanced Setup].

ASG-Safari InfoServer Setup

Connection Name: USAS

Server Name: hcca1.hccanet.org

User Name: <username>

Password:

Confirm Password:

Advanced Setup... (highlighted with red arrow)

Trouble Shooting...

Set Variables...

OK (highlighted with red arrow) Cancel Help

Path Name: **oecn\$:safari usas xx** (xx = district code)

Click [OK].

ASG-Safari InfoServer Advanced Setup

Port Number: #23341

Service: udmssrv

Path Name: oecn\$:safari usas xx

OK (highlighted with red arrow) Cancel Help

Click [OK].

ASG-Safari InfoServer Setup

Connection Name: USAS

Server Name: hcca1.hccanet.org

User Name: <username>

Password:


Confirm Password:

Advanced Setup... (highlighted with red arrow)

Trouble Shooting...

Set Variables...

OK (highlighted with red arrow) Cancel Help



Click [Add] to create another connection

Or

Click [OK] to close the odbc administrator.